

## Quick Guide for TOPDON Ninja 1000

### Part I Activate the tool

#### 1. Please install the TOPDON PC Suite on your windows computer.

1.1 Double click on the TOPDON PC Suite to start the installation process.



1.2 Accept the User Agreement.

1.3 Follow the rest prompts to complete the installation.

1.4 You will get shortcut for the PC Suite on the desktop.




#### 2. Run TOPDON PC Suite to activate the tool

2.1 Double click on the TOPDON PC Suite icon to run the program.


2.2 Connect the Ninja 1000 to your computer via the USB cable.

2.3 Create your Topdon account: enter your email address, click on Get Code button to send the verification code, check the code in your mailbox and input in the Verification box, then set the login password.



The image shows two side-by-side screenshots of the TOPDON web interface. The left screenshot is the 'Sign in' page, featuring the TOPDON logo, a 'Sign in' heading, a link 'or create an account', and input fields for 'Email' and 'Password'. A blue 'Sign in' button is at the bottom, with a link 'Forgot your password' below it. The right screenshot is the 'Sign up' page, featuring the TOPDON logo, a 'Sign up' heading, a link 'or sign in to your account', and input fields for 'Email' and 'Verification Code'. A blue 'Get Code' button is at the bottom. Both pages have a 'Language' dropdown menu at the top right.

2.4 Sign in PC Suite with the TOPDON ID and password you created. Click on Register Now button to register the S/N. Then the tool is activated.



2.5 Now, the tool is ready for use. You can also go to Upgrade Center to check and install the latest software.



My Device **Upgrade** Information

Upgrade

<input type="radio"/> Software	Current Version	New Version	Size
<input checked="" type="radio"/> CHRYSLER	V0.99.25	V0.99.27	0.59 MB
<input checked="" type="radio"/> FIAT	V0.99.09	V0.99.10	0.58 MB
<input checked="" type="radio"/> GM	V0.99.22	V0.99.23	0.54 MB
<input type="radio"/> HONDA	V0.99.17	V0.99.18	0.40 MB

All selected software has been upgraded successfully

Cancel Upgrade

2.6 After software upgrade, disconnect the USB cable and connect the OBD main cable for vehicle tests.

## Part II Use the Tool

### 1. How to connect

Situation 1: if you just want to power on the tool and check what software it has, please connect in this way.



Situation 2: for vehicle tests, please connect in this way (vehicle battery provides power supply to the Ninja 1000 directly)



2. Select the software of the car you are going to test and enjoy it.



[www.rptoolsitaliastore.com](http://www.rptoolsitaliastore.com) [info@rptoolsitaliastore.com](mailto:info@rptoolsitaliastore.com) facebook: [www.facebook.com/rptoolsitalia](https://www.facebook.com/rptoolsitalia)

Via Predda Niedda str 11, n 14 07100 Sassari

Contatti e info:

+ 39 3491149384

+ 39 3514120848